

Work Order ID 155198

Tuesday, January 10, 2017 10:03:33 AM

155198

ref

Page 1

Item ID: D412-698-023

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Automatic Door Opener (fits LH or RH)

Start Date: 1/10/2017 Start Qty: 8.00

8

Cust Item ID:

Required Date: 1/19/2017 Req'd Qty: 8.00

8

Customer:

Reference:

Approvals: Process Plan:

DAS
21
9-89

Date: JAN 10 2017

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

IIN D412-698

F

ULS

100

Document Control

0.00

100

DOCUMENT CONTROL

DC

Memo

0.00

Doc.Control -USB or Paperwork

Photocopy bluefile & type labels per PPP D412-698-023

CHG003

8 DAS
27
9-89

JAN 17 2017

DAS
21
9-89

1701-10
8

110

Pick Kit

0.00

110

Packaging

Memo

0.00

Packaging

8

JAN 11 2017

DAS
28
9-89

DAS
6
9-89

120

QC4- 100% Inspect kits for completeness

0.00

120

QC

Memo

0.04

Quality Control

8 DAS
27
9-89

JAN 17 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
		OTHER : ☐							

Work Order ID 155198***155198***

Page 2

Item ID: D412-698-023

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Automatic Door Opener (fits LH or RH)

Start Date: 1/10/2017 Start Qty: 8.00

8

Cust Item ID:

Required Date: 1/19/2017 Req'd Qty: 8.00

8

Customer:

Reference:

Approvals: Process Plan:

Date:

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

0.00

130

Packaging

Packaging

Memo

0.00

Packaging

Identify and pack for shipping as per PPP D412-698-023
Location:FG022

8 DAS 28 9-89 DAS 27 9-89

140

0.00

140

QC

QC21- Final Inspection - Work Order Release

Memo

0.13

Quality Control

JAN 17 2017

DAS 21 9-89

JAN 17 2017

ME
17-1-17

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐		
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐		
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐		
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐		
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐		
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐		
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐		
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐		
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐		
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐		
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____					
Misidentified ☐	Past Due ☐						

Picklist Print

Tuesday, January 10, 2017 10:03:38 AM

Page 1

Work Order ID: 155198

155198

Parent Item: D412-698-023

D412-698-023

Parent Item Name: Automatic Door Opener (fits LH or RH)

Start Date: 1/10/2017

Required Date: 1/19/2017

Start Qty: 8.00

Required Qty: 8.00

Comments: IPP Rev:A New Issue 07-07-12 JLM
IPP rev B cen 1207 08.07.03 EC verified by:LL

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measurc	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3552-11		Manufactured	No			110	Each	22.0000	1	8	JAN 11 2017		DAS 28 9-89
D3552-11									**				DAS 6 9-89
Door Prop													

Location	Loc Qty	Loc Code
FG	4	
128491	2	
151291	1	
80345	1	
ST363	18	
151291	2	
152601	8	
154436	8	

D3594-043

Manufactured No

110

Each

11.0000

1

8

JAN 11 2017

D3594-043

Floor Doubler Assembly, LH

**

Location	Loc Qty	Loc Code
Quarantine	1	
147748	1	
ST	1	
148698	1	
ST504	9	
147960	5	
153026	4	

DAS 27 9-89

DAS 27 9-89

DAS 28 9-89
DAS 6 9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Picklist Print

Tuesday, January 10, 2017 10:03:38 AM

Page 2

Work Order ID: 155198

155198

Parent Item: D412-698-023

D412-698-023

Parent Item Name: Automatic Door Opener (fits LH or RH)

Start Date: 1/10/2017

Required Date: 1/19/2017

Start Qty: 8.00

Required Qty: 8.00

D3594-044

Manufactured No

110

Each

10.0000

1

8

D3594-044

Floor Doubler Assembly, RH

**

JAN 11 2017

DAS 28 9-89

DAS 6 9-89

DAS 27 9-89

Location

Loc Qty

Loc Code

Quarantine

1

147749

1

ST504

9

148739

5

151520

4

D3594-5

Manufactured No

110

Each

11.0000

1

8

D3594-5

Doubler

**

JAN 11 2017

DAS 28 9-89

DAS 6 9-89

DAS 27 9-89

Location

Loc Qty

Loc Code

ST044

11

145406

8

152895

3

D3622-1

Manufactured No

110

Each

32.0000

2

16

D3622-1

Ball Stud

**

JAN 11 2017

DAS 28 9-89

DAS 6 9-89

DAS 27 9-89

Location

Loc Qty

Loc Code

ST046

32

150426

12

151507

20

MS20426AD4-4

Purchased No

110

Each

3,578.000

2

16

MS20426AD4-4

Rivet

**

JAN 11 2017

DAS 28 9-89

DAS 6 9-89

DAS 27 9-89

Location

Loc Qty

Loc Code

GA

1621

125445

1621

ST312

1957

m132536

1957

Tuesday, January 10, 2017 10:03:38 AM

Shop Packet Print

Page 2

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Picklist Print

Tuesday, January 10, 2017 10:03:38 AM

Page 3

Work Order ID: 155198

155198

Parent Item: D412-698-023

D412-698-023

Parent Item Name: Automatic Door Opener (fits LH or RH)

Start Date: 1/10/2017

Required Date: 1/19/2017

Start Qty: 8.00

Required Qty: 8.00

MS210731.5

Purchased

No

110

Each

30.0000

1

8

MS210731.5

Anchor Nut

**

DAS
27
9-89

DAS
28
9-89

Location

Loc Qty

Loc Code

ST298

30

m135058

30

8

JAN 11 2017

NAS1149D0516J

Purchased

No

110

Each

123.0000

2

16

NAS1149D0516.J

Washer

**

16

JAN 11 2017

DAS
28
9-89

Location

Loc Qty

Loc Code

ST264

123

M134943

123

DAS
27
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____	
Root Cause		FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	OTHER : _____			

7.0 PARTS LIST - PILOT DOOR MODIFICATION KITS

Qty -015	Qty -023	Part Number	Description
X		D412-698-015	DOOR SUPPORT KIT
	X	D412-698-023	AUTOMATIC DOOR OPENER KIT
2		D3200-1	DOOR POST BLOCK
2		D3200-3	DOOR WEDGE
2		D3201-1	DOUBLER
1		D3201-3	ANGLE
1		D3201-4	ANGLE
	1	D3552-11	GAS SPRING
	1	D3594-5	DOOR DOUBLER
	1	D3594-043	FLOOR DOUBLER ASSEMBLY, LH
	1	D3594-044	FLOOR DOUBLER ASSEMBLY, RH
	2	D3622-1	BALL STUD
	1	MS21073L5	ANCHOR NUT
	2	MS20426AD4-4	RIVET
12		NAS1149D0332J	WASHER (AN960JD10L)
	2	NAS1149D0516J	WASHER (AN960JD516L)
12		MS21042L3	NUT (OR MS21042-3)
12		MS24693-S277	SCREW